BRAIN RESEARCH

VOL. 746 NOS. 1,2 **CONTENTS** **23 JANUARY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Immunohistochemical localization of ADP-ribosylarginine hydrolase in rodent CNS
T. Miyaoka, M. Tsuchiya, K. Yamada, M. Badruzzaman, C. Yamamori, H. Ishino and M. Shimoyama (Japan) 1

Opioid receptor-coupled G-proteins in rat locus coeruleus membranes: decrease in activity after chronic morphine treatment
D.E. Selley, E.J. Nestler, C.S. Breivogel and S.R. Childers (USA) 10

Neurotrophin-3 promotes the survival of oligodendrocyte precursors in embryonic hippocampal cultures under chemically defined conditions
L. Bertollini, M.T. Ciotti, E. Cherubini and A. Cattaneo (Italy) 19

Regional distribution of neural cell adhesion molecule immunoreactivity in the adult rat telencephalon and diencephalon. Partial colocalization with heparan sulfate proteoglycan immunoreactivity
K. Fuxe, B. Tinner, W. Staines, G. David and L.F. Agnati (Sweden, Italy, Canada, Belgium) 25

Bilateral coupling in learned blinking: side superiority, synchrony and temporal coordination in normal cats
G. Spidalieri, G. Franchi and P. Guandalini (Italy) 34

Hyperthermia enhances spectrin breakdown in transient focal cerebral ischemia
T. Morimoto, M.D. Ginsberg, W.D. Dietrich and W. Zhao (USA) 43

The effects of temperature and synaptic blockade in vitro on neurons of the horizontal limb of the diagonal band of Broca in the rat basal forebrain
T. Hays, S. Morairty, R. Szymusiak and D. McGinty (USA) 52

Pharmacologic blockade of non-NMDA receptors at deep prepiriform cortex attenuates heat shock protein expression in global ischemia
K. Kawaguchi and R.P. Simon (USA) 59

Insulin-like growth factors and insulin stimulate erythropoietin production in primary cultured astrocytes
S. Masuda, M. Chikuma and R. Sasaki (Japan) 63

Distribution of presumptive chemosensory afferents with FMRFamide- or substance P-like immunoreactivity in decapod crustaceans
M. Schmidt (Germany) 71

β-Amyloid peptide-induced morphological changes coincide with increased K^+ and Cl^- channel activity in rat cortical astrocytes
T.O. Jalonen, C.J. Charniga and D.B. Wielt (USA) 85

Actions of *S*-nitrosocysteine in the nucleus tractus solitarii are unrelated to release of nitric oxide
H. Ohta, J.N. Bates, S.J. Lewis and W.T. Talman (USA) 98

Transcytosis of 6.6-nm gold-labeled transferrin: an ultrastructural study in cultured porcine blood–brain barrier endothelial cells
W. Van Gelder, M.I. Cleton-Soeteman, M.I.E. Huijskes-Heins, P.R.W.A. Van Run and H.G. Van Eijk (The Netherlands) 105

Fos and Jun expression in rat supraoptic nucleus neurons after acute vs. repeated osmotic stimulation
K. Wang, S.E.F. Guldenaar and J.T. McCabe (USA) 117

Ischemic tolerance phenomenon from an approach of energy metabolism and the mitochondrial enzyme activity of pyruvate dehydrogenase in gerbils
Y. Katayama, H. Muramatsu, T. Kamiya, A. McKee and A. Terashi (Japan) 126

Annexin-immunoreactive proteins in the nervous system and eye of the gastropods, *Aplysia* and *Helix*
H.H. Kerschbaum, R. Donato and A. Hermann (Austria, Italy) 133

Cellular distribution of the rat D_{1B} receptor in central nervous system using anti-receptor antisera
M.A. Ariano, J. Wang, K.L. Noblett, E.R. Larson and D.R. Sibley (USA) 141

Effects of excitatory amino acids and neuropeptide Y on the discharge activity of suprachiasmatic neurons in rat brain slices
C. Schmahl and G. Böhmer (Germany) 151

Progesterone treatment increases Fos-immunoreactivity within some progestin receptor-containing neurons in localized regions of female rat forebrain
A.P. Auger and J.D. Blaustein (USA) 164

Electron microscopic evidence for coexistence of leucine^5-enkephalin and γ-aminobutyric acid in a subpopulation of axon terminals in the rat locus coeruleus region
E.J. Van Bockstaele and J. Chan (USA) 171

Effects of nitric oxide synthase inhibitors on cocaine sensitization
J.L. Haracz, J.S. MacDonall and R. Sircar (USA) 183

(contents continued on p. 316)

0006-8993(19970123)746:1/2;1-N

BRAIN RESEARCH

VOL. 746 NOS. 1,2 **CONTENTS** **23 JANUARY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Immunohistochemical localization of ADP-ribosylarginine hydrolase in rodent CNS
T. Miyaoka, M. Tsuchiya, K. Yamada, M. Badruzzaman, C. Yamamori, H. Ishino and M. Shimoyama (Japan) 1

Opioid receptor-coupled G-proteins in rat locus coeruleus membranes: decrease in activity after chronic morphine treatment
D.E. Selley, E.J. Nestler, C.S. Breivogel and S.R. Childers (USA) 10

Neurotrophin-3 promotes the survival of oligodendrocyte precursors in embryonic hippocampal cultures under chemically defined conditions
L. Bertollini, M.T. Ciotti, E. Cherubini and A. Cattaneo (Italy) 19

Regional distribution of neural cell adhesion molecule immunoreactivity in the adult rat telencephalon and diencephalon. Partial colocalization with heparan sulfate proteoglycan immunoreactivity
K. Fuxe, B. Tinner, W. Staines, G. David and L.F. Agnati (Sweden, Italy, Canada, Belgium) 25

Bilateral coupling in learned blinking: side superiority, synchrony and temporal coordination in normal cats
G. Spidalieri, G. Franchi and P. Guandalini (Italy) 34

Hyperthermia enhances spectrin breakdown in transient focal cerebral ischemia
T. Morimoto, M.D. Ginsberg, W.D. Dietrich and W. Zhao (USA) 43

The effects of temperature and synaptic blockade in vitro on neurons of the horizontal limb of the diagonal band of Broca in the rat basal forebrain
T. Hays, S. Morairty, R. Szymusiak and D. McGinty (USA) 52

Pharmacologic blockade of non-NMDA receptors at deep prepiriform cortex attenuates heat shock protein expression in global ischemia
K. Kawaguchi and R.P. Simon (USA) 59

Insulin-like growth factors and insulin stimulate erythropoietin production in primary cultured astrocytes
S. Masuda, M. Chikuma and R. Sasaki (Japan) 63

Distribution of presumptive chemosensory afferents with FMRFamide- or substance P-like immunoreactivity in decapod crustaceans
M. Schmidt (Germany) 71

β-Amyloid peptide-induced morphological changes coincide with increased K^+ and Cl^- channel activity in rat cortical astrocytes
T.O. Jalonen, C.J. Charniga and D.B. Wielt (USA) 85

Actions of *S*-nitrosocysteine in the nucleus tractus solitarii are unrelated to release of nitric oxide
H. Ohta, J.N. Bates, S.J. Lewis and W.T. Talman (USA) 98

Transcytosis of 6.6-nm gold-labeled transferrin: an ultrastructural study in cultured porcine blood–brain barrier endothelial cells
W. Van Gelder, M.I. Cleton-Soeteman, M.I.E. Huijskes-Heins, P.R.W.A. Van Run and H.G. Van Eijk (The Netherlands) 105

Fos and Jun expression in rat supraoptic nucleus neurons after acute vs. repeated osmotic stimulation
K. Wang, S.E.F. Guldenaar and J.T. McCabe (USA) 117

Ischemic tolerance phenomenon from an approach of energy metabolism and the mitochondrial enzyme activity of pyruvate dehydrogenase in gerbils
Y. Katayama, H. Muramatsu, T. Kamiya, A. McKee and A. Terashi (Japan) 126

Annexin-immunoreactive proteins in the nervous system and eye of the gastropods, *Aplysia* and *Helix*
H.H. Kerschbaum, R. Donato and A. Hermann (Austria, Italy) 133

Cellular distribution of the rat D_{1B} receptor in central nervous system using anti-receptor antisera
M.A. Ariano, J. Wang, K.L. Noblett, E.R. Larson and D.R. Sibley (USA) 141

Effects of excitatory amino acids and neuropeptide Y on the discharge activity of suprachiasmatic neurons in rat brain slices
C. Schmahl and G. Böhmer (Germany) 151

Progesterone treatment increases Fos-immunoreactivity within some progestin receptor-containing neurons in localized regions of female rat forebrain
A.P. Auger and J.D. Blaustein (USA) 164

Electron microscopic evidence for coexistence of leucine^5-enkephalin and γ-aminobutyric acid in a subpopulation of axon terminals in the rat locus coeruleus region
E.J. Van Bockstaele and J. Chan (USA) 171

Effects of nitric oxide synthase inhibitors on cocaine sensitization
J.L. Haracz, J.S. MacDonall and R. Sircar (USA) 183

(contents continued on p. 316)

0006-8993(19970123)746:1/2;1-N

(contents continued)

High extracellular glycine does not potentiate *N*-methyl-D-aspartate-evoked depolarization in vivo
T.P. Obrenovitch, A.M. Hardy and J. Urenjak (UK) 190
Capsaicin-resistant vagal afferent fibers in the rat gastrointestinal tract: anatomical identification and functional integrity
H.-R. Berthoud, L.M. Patterson, A.E. Willing, K. Mueller and W.L. Neuhuber (USA, Germany) 195
Immuno-localization of serotonin 5-HT_6 receptor-like material in the rat central nervous system
C. Gérard, M.-P. Martres, K. Lefèvre, M.-C. Miquel, D. Vergé, L. Lanfumey, E. Doucet, M. Hamon and S. El Mestikawy (France) 207
Heat shock- and ethanol-induced ionic changes in C6 rat glioma cells determined by NMR and fluorescence spectroscopy
S. Skrandies, B. Bremer, U. Pilatus, A. Mayer, U. Neuhaus-Steinmetz and L. Rensing (Germany) 220
Infusion of quinpirole and muscimol into the ventral tegmental area inhibits fear-potentiated startle: implications for the role of dopamine in fear expression
L.J. Munro and L. Kokkinidis (Canada) 231
Ultrastructural immunocytochemical localization of the dopamine D_2 receptor within GABAergic neurons of the rat striatum
K.T. Delle Donne, S.R. Sesack and V.M. Pickel (USA) 239
Presence of catecholamines and serotonin in the rat vestibule
P. Gil-Loyzaga, M.A. Vicente-Torres, M. García-Bonacho and A. Esquifino (Spain) 265
Glucocorticoid induced the expression of mRNA and the secretion of lipocortin 1 in rat astrocytoma cells
H. Mizuno, K. Uemura, A. Moriyama, Y. Wada, K. Asai, S. Kimura and T. Kato (Japan) 265
Early growth of regenerating neurites in acrylamide neuropathic mice: application of a film model
K. Torigoe, H.-F. Tanaka, A. Takahashi and K. Hashimoto (Japan) 269
Preferential adsorption, internalization and resistance to degradation of the major isoform of the Alzheimer's amyloid peptide, Aβ1–42, in differentiated PC12 cells
D. Burdick, J. Kosmoski, M.F. Knauer and C.G. Glabe (USA) 275
Voltage-dependent Ca^{2+} influx into identified leech neurones
P.W. Dierkes, P. Hochstrate and W.-R. Schlue 285
Vasoactive intestinal polypeptide enhances the GABAergic synaptic transmission in cultured hippocampal neurons
H.-L. Wang, A. Li and T. Wu (Taiwan) 294
Intraischemic hypothermia during pretreatment with sublethal ischemia reduces the induction of ischemic tolerance in the gerbil hippocampus
K. Wada, T. Miyazawa, H. Katoh, N. Nomura, A. Yano, K. Shima and H. Chigasaki (Japan) 301

Short communications

Effects of acute prenatal ethanol exposure on Bergmann glia cells early postnatal development
E. Pérez-Torrero, P. Durán, L. Granados, G. Gutiérrez-Ospina, L. Cintra and S. Díaz-Cintra (Mexico) 305
Time-dependent influence of the somatostatin analogue octreotide on the proliferation of rat astrocytes and glioma cells
J. Feindt, R. Mentlein and B. Krisch (Germany) 309

Author Index 314